

1. Global text constants

1.1. System informations

```
%AppdataDir%
  C:\Dokumente und Einstellungen\
    %USERNAME%\Anwendungsdaten

%AllUsersProfileDir%
  C:\Dokumente und Einstellungen\All Users

%CommonStartMenuPath%
  C:\Dokumente und Einstellungen\All Users\Startmenü

%ProfileDir%
  C:\Dokumente und Einstellungen

%UserProfileDir%      (Nur bei /AllNtUserProfiles)
%ProgramFilesDir%    c:\programme
%Systemroot%          c:\windows
%System%              c:\winnt\system32
%Systemdrive%         c:\
```

1.2. wInst-Path and Directories

```
%ScriptPath%
%ScriptDrive%
%WinstDir%
```

1.3. Netzwrok informations

```
%Host%
  value of environment variable HOST.

%PCName%
  value of environment variable PCNAME,
  or if absent of COMPUTERNAME.

%Username%
  Name of actual user.
```

2. Primary Sections:

```
[Initial]
[Aktionen]
[sub<identifier>]
sub <file name>
```

3. Winst control

```
LogLevel = <Zahl>
  or LogLevel = <string>
  LogLevel = "2"

ExitOnError = <Wahrheitswert>
Message <string> or Message = <XXXX>
ShowMessageFile <string>
ShowBitMap [/<number>] [<file name>] [<sub titel>]
comment <string> or comment = <XXXX>
.LogError <string> or LogError = <XXXX>
.LogWarning <string> or LogWarning = <XXXX>
Pause <string> or Pause = <XXXX>
Stop <string> or stop = <XXXX>
```

4. Variables

4.1. strings

```
DefVar <variable name>
Set <variable name> = <value>
```

4.2. stringlists

```
DefstringList <variable name>
```

5. Functions

5.1. string functions

```
GetOS
GetNtVersion
EnvVar (<environment variable>)
ParamStr
GetRegistrystringValue ("[key] var")
GetValueFromInifile (file, section, key, default value)
  GetValueFromInifile ("myfile", "mysec", "mykey", "")
IniVar (<key>)
GetHostName (<hostaddress>)
GetHostsAddr (<hostname>)
ExtractFilePath (<path>)
SubstringBefore (<string1>, <string2>)
RandomStr
```

5.2. String list functions

```
createStringList (<string0>, <string1>, ... )
  set $list$ = createStringList ('a', 'b')
splitString (<string1>, <string2>)
  set list = splitString
  ("\\server\share\dir", "\\")
splitStringOnWhiteSpace (<string>)
loadTextFile (<file name>)
loadUnicodeTextFile (<file name>)
composeString (<string list>, <Link>)
takeString (<index>, <list>)
retrieveSection (<section name>)
getOutStreamFromSection (<dos section name>)
  getOutStreamFromSection ('DosBatch_try')
getReturnListFromSection (<xml section name>)
getSubList (Startindex, Endindex, Liste)
reverse (Liste)
for %s% in List do <one statement | sub section>
  for %s% in list1 do sub_test_string
```

5.3. Boolean operators and functions

```
<string1> = <string2>
<bool1> AND <bool2>
<bool1> OR <bool2>
NOT(<bool3>)

FileExists (<file name>)
LineExistsIn (line, filename)
LineBeginning_ExistsIn (stringval, file name)
XMLAddNamespace(XMLfilename, XMLelementname,
  XMLnamespace)
XMLRemoveNamespace(XMLfilename, XMLelementname,
  XMLnamespace)
HasMinimumSpace (drive letter, capacity)
Example:
if not (HasMinimumSpace ("%SYSTEMDRIVE%", "500 MB"))
  LogError "Neede Space of 500 MB not
available on %SYSTEMDRIVE%"
  isFatalError
endif

5.4. Misc functions
Killtask <process name>
```

```
requiredWinstVersion <relation operator> <version>
  requiredWinstVersion >= "4.3"
```

6. Flow control

if - else - endif

Syntax:
if <condition>
;statement(s)
[else
;statement(s)]
endif

Example:

```
if $OS$ = "Windows_NT"
  Set $NTVer$ = GetNTVersion
  if ($NTVer$="NT4") or ($NTVer$="Win2k")
    sub_install_winnt
  else
    if ( $NTVersion$ = "WinXP" )
      sub_install_winXP
    else
      stop "not a supported OS-Version"
    endif
  endif
endif
```

isFatalError

ExitWindows /RebootWanted

ExitWindows /Reboot

ExitWindows /ImmediateReboot

ExitWindows /ImmediateLogout

7. Secondary Sections:

[WinBatch<identifier>]

Function: execute programs via Windows API

[DosBatch<identifier>]

[DosInAnIcon<identifier>]

Function: Execute section via cmd.exe

[Files<identifier>] [/AllINTUserProfiles or /AllINTUserSendTo]

Function: File Operations

checkTargetPath <destination directory>

copy [Options] <source file(s)> <destination directory>
 some options: -s rekursiv -v version control

delete [Options] <path[/mask]>

 some options: -s rekursiv -f force

[Registry<identifier>] [AllINTUserDatas]

Function: edit Registry

OpenKey <Key>

openkey [HKEY\Software\opsi.org]

Set <varname> = <registry type>:<value>

Add Set <varname> = <registry type>:<value>

Examples for registry types:

```
set "var1" = "my string"
set "var2" = REG_SZ:"my string"
set "var3" = REG_EXPAND_SZ:"%Systemroot%"
set "var4" = REG_DWORD:123  (Decimal)
set "var5" = REG_BINARY:00 01 02 0F 10
```

Supp <varname> <list char> <supplement>

supp "Path" ; "C:\utils; %JAVABIN%"

GetMultiSZFromFile <file name>

DeleteVar <varname>

DeleteKey <registry key>

[Patches<identifier>] <file name>

Function: edit Ini-files

```
add [<section name>] <variable1> = <value1>
set [<section name>]<variable1> = <value1>
addnew [<section name>]<variable1> = <value1>
change [<section name>]<variable1> = <value1>
del [<section name>] <variable1> = <value1>
del [<section name>] <variable1>
delsec [<section name>]
replace <variable1>=<value1> <variable2>=<value2>
```

[PatchTextFile<identifier>] <file name>

Function: edit text files

```
Set_Netscape_User_Pref ("<key>", "<value>")
AddStringListElement_To_Netscape_User_Pref
FindLine <search string>
FindLine_StartingWith <search string>
FindLine_Containing <search string>
GoToTop
AdvanceLine [<number of lines>]
GoToBottom
DeleteTheLine
AddLine_ <line>         or Add_Line_ <line>
InsertLine <line>         or Insert_Line_ <line>
AppendLine <line>         or Append_Line <line>
Append_File <file name>
Subtract_File <file name>
SaveToFile <file name>
Sorted
```

[LinkFolder<identifier>]

Function: Startmenue + Desktop Icons

set_link

```
  name: [link name]
  target: <path and name of the program>
  parameters: [command line arguments]
  working_dir: [working directory]
  icon_file: [path and name of icon file, default=target]
  icon_index: [number of icon in icon file, default=0]
end_link
```

delete_element <link name>

delete_subfolder <folder path>

[OpsiServiceCall<identifier>]

Function: opsi-Service access

see manual

[IdapiConfig<identifier>]

Function: BDE configuration

see manual

[PatchHosts<identifier>]

Function: hosts-files bearbeiten

see manual

[XMLPatch<identifier>]

Function: edit XML files

see manual